

SAFETY DATA SHEET

1 Revision Date 26-Mar-2021 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Clear View

Other means of identification

Product Code NL851 Synonyms None

Details of the supplier of the safety data sheet

Company Name Nyco Products Company

5332 Dansher Road, Countryside, IL 60525 (708) 579-8100 nycoproducts.com

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This product has been classified in accordance with the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Oral | Not classified |
|-------------------------|----------------|
| Acute toxicity - Dermal | Not classified |

Label elements

Emergency Overview

Appearance Clear Blue Physical state Liquid Odor Lilac

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Drink plenty of water

Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations

Hazards not otherwise classified (HNOC)

Other Information

NL851 Clear View Revision Date 26-Mar-2021

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|---------------|---------|----------|--------------|
| 2-Propanol | 67-63-0 | 1-5 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required. In case of accident or unwellness, seek medical

advice immediately (show directions for use or safety data sheet if possible). If symptoms

persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Inhalation Move to fresh air in case of accidental inhalation of vapors or decomposition products. If

symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Remove all sources of ignition. Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. Use

personal protective equipment as required.

Environmental precautions

Environmental precautionsDo not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other

surface water bodies. Should not be released into the environment. Dispose of according to

all local city, state and federal rules and regulations.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Pick up and transfer to properly labeled containers. Take precautionary

measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks,

flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Keep containers tightly closed in a cool,

well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|---------------|--|------------------------------|
| 2-Propanol | STEL: 400 ppm | TWA: 400 ppm | IDLH: 2000 ppm |
| 67-63-0 | TWA: 200 ppm | TWA: 980 mg/m ³ | TWA: 400 ppm |
| | | (vacated) TWA: 400 ppm | TWA: 980 mg/m ³ |
| | | (vacated) TWA: 980 mg/m ³ | STEL: 500 ppm |
| | | (vacated) STEL: 500 ppm | STEL: 1225 mg/m ³ |
| | | (vacated) STEL: 1225 mg/m ³ | _ |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear chemical resistant gloves.

Respiratory protection Ensure adequate ventilation, especially in confined areas. If irritation is experienced, move

to a well ventilated area.

General Hygiene When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance Clear Blue
Color Blue
Odor Lilac

Odor threshold No Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 6.5 - 8.5 **Specific Gravity** 0.99

Viscosity < 25 cP @ 25°C

Melting point/freezing point

No Information available

Flash point Above 200°F

Boiling point / boiling range < 212 °F

Evaporation rate
No Information available
Flammability (solid, gas)
No data available

Flammability Limits in Air

Upper flammability limit:No Information availableLower flammability limit:No Information availableVapor pressureNo Information availableVapor densityNo Information available

Water solubility Complete

Partition coefficient
Autoignition temperature
Decomposition temperature
No Information available
No Information available
No Information available

Other Information

Density Lbs/Gal 8.25 VOC Content (%) 3.5

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

NL851 Clear View Revision Date 26-Mar-2021

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Avoid breathing vapors or mists. Breathing of vapors may cause dizziness and shortness of

breath. Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eye contact Avoid contact with eyes. Contact with eyes may cause irritation.

Skin Contact Avoid contact with skin. Prolonged or repeated contact may dry skin and cause irritation.

Ingestion Do not taste or swallow. May cause gastro intestinal irritation.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-----------------------|--------------------|-------------------------|-------------------------|
| 2-Propanol 67-63-0 | = 1870 mg/kg (Rat) | = 4059 mg/kg (Rabbit) | = 72600 mg/m³ (Rat) 4 h |

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo Information available. **Germ cell mutagenicity**No Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|---------|-----|------|
| 2-Propanol | - | Group 3 | - | X |
| 67-63-0 | | | | |

IARC (International Agency for Research on Cancer)

Group 3 -Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Target organ effects

No Information available.
No Information available.
EYES, Respiratory system, Skin.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 53,428.60 ATEmix (inhalation-dust/mist) 2,074.30

12. ECOLOGICAL INFORMATION

Ecotoxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---------------------|------------------------|---------------------------------|--------------------------------|
| 2-Propanol | 1000: 72 h Desmodesmus | 11130: 96 h Pimephales promelas | 13299: 48 h Daphnia magna mg/L |
| 67-63-0 | subspicatus mg/L EC50 | mg/L LC50 static | EC50 |
| | 1000: 96 h Desmodesmus | 9640: 96 h Pimephales promelas | |
| | subspicatus mg/L EC50 | mg/L LC50 flow-through | |
| | | 1400000: 96 h Lepomis | |
| | | macrochirus µg/L LC50 | |
| Alkyl Polyglucoside | - | 170: 96 h Danio rerio mg/L LC50 | - |
| 68515-73-1 | | semi-static | |

NL851 Clear View Revision Date 26-Mar-2021

Persistence and degradability

No Information available.

Bioaccumulation

Bioaccumulative potential.

| Chemical Name | Partition coefficient |
|---------------|-----------------------|
| 2-Propanol | 0.05 |
| 67-63-0 | |

Other adverse effects No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status | |
|---------------|-----------------------------------|--|
| 2-Propanol | Toxic | |
| 67-63-0 | Ignitable | |

14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance. According to Exceptions for Class 3 (flammable and combustible liquids), this product maybe reclassed as combustible liquid, see 49CFR173.150(e)(1) and (2).

DOT Not regulated

TDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|----------------------|-------------------------------|
| 2-Propanol - 67-63-0 | 1.0 |

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No

Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product has been evaluated and does not require warning labeling under California Proposition 65.

U.S. State Right-to-Know Regulations

| Chem | nical Name | New Jersey | Massachusetts | Pennsylvania |
|------|------------|------------|---------------|--------------|
| 2-F | Propanol | X | X | X |
| 6 | 67-63-0 | | | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

| 16. OTHER INFORMATION | | | | |
|-----------------------|------------------|----------------|--------------------|------------------------------------|
| NFPA | Health hazards 1 | Flammability 0 | Instability 0 | Physical and Chemical Properties - |
| <u>HMIS</u> | Health hazards 1 | Flammability 0 | Physical hazards 0 | Personal protection B |

 Issue Date
 26-Mar-2021

 Revision Date
 26-Mar-2021

Revision Note

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet