Safety Data Sheet



Issue Date: 27-Dec-2011

Revision Date: 06-Dec-2018

Version 2

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

SDS #	BE-9005-EU
Product Code	9005
Safety Data Sheet Number	97854
Product Name	Foaming Hand Sanitizer

Synonyms

Symmetry Foaming Hand Sanitizer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

Hand Sanitizer

1.3. Details of the Supplier of the Safety Data Sheet

Importer UK Contact David Pinder, EU General Manager 12 Paskin Close Fradley Village, NR Lichfield Staffordshire, WS13 8NZ UK	REACH Only Representative TSGE TSGE@TSGEurope.com	<u>Supplier</u> Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA
For further information, please contac	<u>t_</u>	

Contact Point

Email Address

David Pinder, EU General Manager: 011447788432884 Buckeye International, Inc.: 1-314-291-1900 info@buckeyeinternational.com

1.4. Emergency telephone number

Emergency Telephone (24 hr)

(Medical) 1-651-632-8956 (International) 1-800-303-0441 (North America) (Transportation) INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 2 - (H319)
Chronic aquatic toxicity	Category 2 - (H411)
Flammable liquids	Category 3 - (H226)

2.2. Label Elements Product Identifier



Warning

Hazard statements

- H319 Causes serious eye irritation
- H411 Toxic to aquatic life with long lasting effects
- H226 Flammable liquid and vapour

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

- P233 Keep container tightly closed
- P240 Ground/bond container and receiving equipment
- P241 Use explosion-proof electrical/ventilating/lighting/equipment
- P242 Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P264 - Wash face, hands and any exposed skin thoroughly after handling

P273 - Avoid release to the environment

P280 - Wear eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P391 - Collect spillage

- P403 + P235 Store in a well-ventilated place. Keep cool
- P501 Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 MIXTURES

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Ethyl Alcohol	Present	64-17-5	65.26	Flam. Liq. 2 (H225)	Not determined

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a doctor if irritation persists.
Skin Contact	If skin irritation occurs, rinse affected area with water.

BE-9005-EU - Foaming Hand Sanitizer

Inhalation	Remove to fresh air.			
Ingestion	Drink 2-3 large glasses of water. Do NOT induce vomiting. Call a doctor. Never give anything by mouth to an unconscious person.			
4.2. Most Important Symptoms and Effects, Both Acute and Delayed				
Symptoms	Contact may cause irritation and redness.			
4.3. Indication of any Immediate Medical Attention and Special Treatment Needed				
Notes to Physician	Treat symptomatically.			

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

Not determined.

5.2. Special Hazards Arising from the Substance or Mixture

Flammable due to alcohol content.

5.3. Advice for Firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Use personal protective equipment as required. Spills may be slippery.

For Emergency Responders

Use personal protection recommended in Section 8.

6.2. Environmental Precautions

See Section 12 for additional Ecological Information.

6.3. Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

6.4. Reference to Other Sections

See Section 13: DISPOSAL CONSIDERATIONS.

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling

Keep out of the reach of children. Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from heat, sparks, flame. Keep container closed when not in use. Store at room temperature. Keep from freezing.

7.3. Specific End Use(s)

Specific Use(s)

Hand Sanitizer.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure Limits

Chemical name	European Union	United Kingdom	France	Spain	Germany
Ethyl Alcohol	-	STEL: 3000 ppm	TWA: 1000 ppm	STEL: 1000 ppm	TWA: 200 ppm
64-17-5		STEL: 5760 mg/m ³	TWA: 1900 mg/m ³	STEL: 1910 mg/m ³	TWA: 380 mg/m ³
		TWA: 1000 ppm	STEL: 5000 ppm	_	
		TWA: 1920 mg/m ³	STEL: 9500 mg/m ³		
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Ethyl Alcohol	-	TWA: 1000 ppm	Skin	TWA: 1000 ppm	TWA: 1000 ppm
64-17-5			STEL: 1900 mg/m ³	TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
			TWA: 260 mg/m ³	STEL: 1300 ppm	
				STEL: 2500 mg/m ³	
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Ethyl Alcohol	STEL 2000 ppm	STEL: 1000 ppm	TWA: 1900 mg/m ³	TWA: 500 ppm	STEL: 1000 ppm
64-17-5	STEL 3800 mg/m ³	STEL: 1920 mg/m ³	_	TWA: 950 mg/m ³	
	TWA: 1000 ppm	TWA: 500 ppm		STEL: 625 ppm	
	TWA: 1900 mg/m ³	TWA: 960 mg/m ³		STEL: 1187.5 mg/m ³	

8.2. Exposure Controls

Engineering Controls

Apply technical measures to comply with the occupational exposure limits.

Personal Protective Equipment

Eye/Face Protection\Hand Protection(Skin and Body Protection(Respiratory Protection(

When using product, do not rub eyes. Gloves are not required for normal use. No special protective measures are necessary under normal conditions of use. No protective equipment is needed under normal use conditions.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical state Appearance Colour	Liquid Clear liquid Not determined	Odour Odour Threshold
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point	<u>Values</u> Not available Not determined 78 °C / 172 °F 23 °C / 73 °F	<u>Remarks • Method</u> CC (closed cup)

Fruity Floral

Not determined

BE-9005-EU - Foaming Hand Sanitizer

Evaporation Rate	> 1.0	(n-BuAc =1)
Flammability (Solid, Gas)	Liquid-Not applicable	
Flammability Limit in Air		
Upper flammability or explosive	Not available	
limits		
Lower flammability or explosive	Not available	
limits		
Vapour Pressure	Not determined	
Vapour Density	Not determined	
Relative Density	0.88	
Water Solubility	Mostly Soluble	
Solubility(ies)	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	Not determined	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidising Properties	Not determined	

Section 10: STABILITY AND REACTIVITY

<u>10.1. Reactivity</u> Not reactive under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of Hazardous Reactions

Hazardous Polymerisation

Hazardous polymerisation does not occur.

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Heat, flames and sparks.

10.5. Incompatible Materials

Chlorine bleach.

10.6. Hazardous Decomposition Products

None under normal use conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute toxicity

Product Information

Inhalation Eye Contact Skin Contact Ingestion

Do not inhale. Avoid contact with eyes. Avoid contact with skin. Do not ingest.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	10,818.27 mg/kg
ATEmix (dermal)	66,733.30 mg/kg
ATEmix (inhalation-dust/mist)	191.10 mg/L

Unknown Acute Toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour).

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Ethyl Alcohol	= 7060 mg/kg (Rat)		= 124.7 mg/L (Rat)4 h	
Polydimethylsiloxane	> 24 g/kg (Rat)> 17 g/kg (Rat)	> 2 g/kg (Rabbit)		
Skin corrosion/irritation	Not classified.			
Serious eye damage/eye irritat	ion Causes serious eye irritation.	Causes serious eye irritation.		
Sensitisation	Not classified.			
Germ cell mutagenicity	Not classified.	Not classified.		
Carcinogenicity	Not classified.	Not classified.		
Reproductive toxicity	Not classified.	Not classified.		
STOT - single exposure	Not classified.			
STOT - repeated exposure	Not classified.			
Aspiration hazard	Not classified.			

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ethyl Alcohol		100: 96 h Pimephales promelas	10800: 24 h Daphnia magna mg/L
		mg/L LC50 static 13400 - 15100: 96	EC50 2: 48 h Daphnia magna mg/L
		h Pimephales promelas mg/L LC50	EC50 Static 9268 - 14221: 48 h
		flow-through 12.0 - 16.0: 96 h	Daphnia magna mg/L LC50
		Oncorhynchus mykiss mL/L LC50	
		static	

12.2. Persistence and Degradability

Not determined.

12.3. Bioaccumulative Potential

Chemical name	Partition coefficient
Ethyl Alcohol	-0.32

12.4. Mobility in Soil

Mobility

Not determined.

12.5. Results of PBT and vPvB Assessment

Not determined.

12.6. Other Adverse Effects

Not determined.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste from residues/unused products	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances

IMDG

INDC		
14.1 14.2	UN number Proper Shipping Name	UN1170 Ethanol solution
14.3		3
14.4	Packing Group	III
<u>RID</u>		
14.1	UN/ID No	UN1170
14.2	Proper Shipping Name	Ethanol solution
14.3	Transport hazard class(es)	3
14.4	Packing Group	III
	- .	
ADR	_	
14.1	UN number	UN1170
14.2	Proper Shipping Name	Ethanol solution
14.3		3
14.4	Packing Group	111
	5	
ΙΑΤΑ		
14.1	_ UN number	UN1170
14.2	Proper Shipping Name	Ethanol solution
14.3	Transport hazard class(es)	3
-		-
14.4	Packing Group	

Section 15: REGULATORY INFORMATION

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

National Regulations France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Ethyl Alcohol 64-17-5	RG 84	

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

Component	TSCA	DSL/NDSL	EINECS/ELIN CS	PICCS	ENCS	IECSC	AICS	KECL
Ethyl Alcohol 64-17-5 (65.26)	Х	X	Х	Х	Х	Х	Х	Х
Polydimethylsiloxane 63148-62-9 (<3)	Х	Х	-	Х	Х	X	Х	Х

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

Legend

SVHC: Substances of Very High Concern for Authorisation:

		Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION				
TWA Ceiling	TWA (time-weighted average) Maximum limit value	STEL *	STEL (Short Term Exposure Limit) Skin designation			
Classification Pro						
Issue Date:	27-Dec-2011					
Revision Date:	06-Dec-2018					
Revision Note:	Regulatory updat	te.				

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2015/830

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet